WALCO CARGO CONTROL COMPONENTS

WINCHES
H.D. Small Frame ------Page 1
Portable----------Page 1
Loose Frame ----------Page 1
Weld-on ----------Page 1
Low Profile ----------Page 1
Three Bar ----------Page 1
Slider Weld-on ---------Page 1

Lashing Winch ---------Page 2
Web Winder ----------Page 2
Winch Track ----------Page 2

FLATBED ACCESSORIES
Winch Bars ----------Page 2
5th Wheel Puller --------Page 2
Rubber Tarp Ties ------Page 2
S Hooks----------Page 2
Corner Protectors -----Page 2
Wear Sleeves ----------Page 2
Wheel Chocks ----------Page 2
Weld-on D rings--------Page 2

WINCH STRAPS
2" 3" Widths----------Page 3
4" Width ---------- Page 4

RATCHET STRAP ASSEMBLIES
2" 3" 4" Widths----------Page 5 & 6

SLINGS & ACCESSORIES
Wheel Tie Downs ------Page 7
Towing Straps ---------Page 7
Round Slings ----------Page 7

TRUCK LADDER ----------Page 7

WEB SLINGS ----------Page 8

LOAD BINDERS ----------Page 9
Binder Locks ----------Page 9

WIRE ROPE ASSEMBLIES ----------Page 9
Wire Rope Clips --------Page 9
Wire Rope Thimbles ---Page 9
Swage Sleeve Page 9

CHAIN ASSEMBLIES
Bulk Chain----------Page 10
Chain Assemblies ------Page 10

ACCESSORIES
Hooks – Grab & Slip ---Page 10
Double Clevis Link -----Page 10
Mid Link ----------Page 10
Anchor Shackle --------Page 11
Eye Bolts ----------Page 11

ACCESSORIES
Ratchet Buckles ----------Page 11

End Fittings & Hooks ---------Page 12
Rope Tie Off ----------Page 12
Snap Hook ----------Page 12
D Ring ----------Page 12
J hook ----------Page 12
Wire Hook ----------Page 12
Flat Hook ..... Page 12
Delta Ring ..... Page 12
Chain end w/ Hook ..... Page 12
Pan Fittings ..... Page 12
Door Pull Straps ..... Page 12
Floor Chain Tie Down ..... Page 12
Beam Socket ..... Page 12

Logistic Track ..... Page 13

Decking Beams ..... Page 13
Beam Heads & Pins ..... Page 13
Cargo Stays & Parts ..... Page 13
Shoring Bars ..... Page 13
Jack Bar ..... Page 13
Cargo Hoops ..... Page 13
Cargo Nets ..... Page 13

LOGISTIC STRAPS 2" ----------Page 14
UTILITY RATCHET STRAPS 1" Page 14

TIE DOWNS 1"
Cargo Straps Packaged -------Page 15
Cargo Straps Display Stand Page 16

TIRE CHAIN AND ACCESSORIES -----Page 17

Truck ----------
Fork Lift ----------
ATV ----------

Side Chain ----------
Cross chain ----------
Studded chain ----------
Cross chin hooks ----------
Repair Links ----------
Quick Links ----------
Tire chain Locks ----------


e-mail: orders@walcoequipment.com

Walco Equipment has grown into a successful Canadian manufacturing & distribution Company.

We have selected a wide range of durable Cargo Control products at competitive prices to meet your cargo securement needs.

We strive to provide safety and service for our customers.

WORKING TOGETHER TO ENSURE A STRONG FUTURE



WINCHES

H.D. WELD-ON

SHORT SLIDER — BLACK/ZINC





		A	B	C	D	E	F
		6-3/4"	7-3/4"	4-5/8"	1-7/8"	31/32"	3-7/8"
ITEM #					**W.L.L.**		**WEIGHT**
649313	Solid Barrel Winch w/ washer - Black				6,000 lb./2,727 kg.		11 lb.
649315	Solid Barrel Winch no washer - Black				6,000 lb./2,727 kg.		
649373	Solid Barrel Winch w/ washer – Zinc				6,000 lb./2,727 kg.		
649375	Solid Barrel Winch no washer – Zinc				6,000 lb./2,727 kg.		

LONG FRAME H.D. SLIDER



		A	B	C	D	E	F
		6-3/4"	10-3/8"	7-1/4"	1-7/8"	31/32"	3-7/8"
ITEM #					**W.L.L.**		**WEIGHT**
649314	Solid Barrel Winch no washer – Black				6,000 lb./2,727 kg.		13 lb.
649374	Solid Barrel Winch no washer – Zinc				6,000 lb./2,727 kg.		
649382	Solid Barrel Winch w/ washer – Zinc				6,000 lb./2,727 kg.		

PORTABLE

LOW PROFILE — STANDARD





		A	B	C	D	E	F
		5"	7-3/4"	4-5/8""	1-7/8""	31/32"	3-7/8"
ITEM #					**W.L.L.**		**WEIGHT**
649324	Low Profile - with set-screw				6,000 lb./2,727 kg.		9 lb.
		A	**B**	**C**	**D**	**E**	**F**
		7"	7-3/4"	4-5/8""	1-7/8""	31/32"	3-7/8"
649360	Standard - with set screw				6,000 lb./2,727 kg.		10 lb.

LOOSE FRAME LOW PROFILE



		A	B	C	D	E	F
		4"	7-1/2"	4-5/8"	1-7/8"	31/32"	5"
ITEM #					**W.L.L.**		**WEIGHT**
649325	Loose Frame Weld-On				6,000 lb./2,727 kg.		6-1/4 lb.

STANDARD WELD-ON



		A	B	C	D	E	F
		5-1/2"	8"	4-5/8"	1-7/8"	31/32"	3-7/8"
ITEM #					**W.L.L.**		**WEIGHT**
649327	Standard Weld-On Winch				6,000 lb./2,727 kg.		8 lb.

LOW PROFILE

WELD-ON — SLIDE-ON





		A	B	C	D	E	F
		4-1/2"	8"	4-5/8"	1-7/8"	31/32"	3-7/8"
ITEM #					**W.L.L.**		**WEIGHT**
649326	Low profile Weld-on				6,000 lbs./2,727 kg.		8 lb.
		A	**B**	**C**	**D**	**E**	**F**
		3.94"	8"	4.86"	1-7/8"	31/32"	6"
649328	Low Profile Slider				6,000 lbs./2,727 kg		

THREE BAR WELD-ON — BOTTOM MOUNT





		A	B	C	D	E	F
		4"	10"	6-1/2"	2-3/8"	31/32"	3-7/8"
ITEM #					**W.L.L.**		**WEIGHT**
649350	Side Mount - Weld-on – Painted				6,000 lb./2,727 kg.		12 lb.
649351	Side Mount - Weld-on – Primed				6,000 lb./2,727 kg.		12 lb.
		A	**B**	**C**	**D**	**E**	**F**
		5-1/2"	10"	6-1/2"	2-3/8"	31/32"	3-7/8"
649355	Low profile – Bottom Mount				6,000 lb./2,727 kg.		13 lb.

		A	B	C	D	E	F



LASHING WINCH

ITEM #	BREAKING STRENGTH	W.L.L.	WEIGHT
649312	10,000 lb.	3,300 lb./ 1,510 kg.	3 lb.

This versatile tie-down has features of both a Winch and a Ratchet Buckle.
It can be welded or bolted in place like a winch, but offers the quick release and easy operation of a ratchet buckle.
Uses a 1-1/8" socket. Drive (not included) Will accept up to 2" webbing



WEB WINDER - PORTABLE

ITEM #	WEIGHT
649301 Attach to truck rails. Dismount for storage. Wind 2, 3, & 4" webbing for compact storage	3 lb.



WINCH TRACK

ITEM #	WEIGHT
649305	38.5 lb.

H.D. Steel Track, designed for use with sliding winches. Available in standard 6-foot lengths.

WINCH BARS

ITEM #	
649306	Heavy Duty black painted winch bar. Weight - 4.25 lb. / 1.93 kg.
649308	Heavy Duty chrome winch bar. Weight – 4.75 lb. / 2.16 kg.
649309	Heavy Duty chrome combination winch bar. Heat treated, durable tapered nose. Length 35". Weight – 5.7 lb. / 2.59 kg.



5th WHEEL PULLER

ITEM #	LENGTH	WEIGHT
649300	28" Chrome	1.8 lb. / .82 kg.



RUBBER TARP TIES with HOOKS

ITEM #	LENGTH	WEIGHT /100
649602	9"	9.2 lb. / 4.18 kg.
649603	15"	11.5 lb. / 5.23 kg.
649604	21"	14.0 lb. / 6.36 kg.
649606	31"	17.5 lb. / 7.95 kg.
649607	41"	23.0 lb. / 10.45 kg.
649600	S Hooks for tarp ties	

100 per case. Made from ozone resistant and stretch resistant E.P.T. synthetic rubber.



CORNER PROTECTORS

Durable polyethylene corners protect tie down straps from damage and are required by law when road conditions could cause damage to tie down straps.

PLASTIC 12" PROTECTORS



ITEM # 649462

PLASTIC PROTECTORS



2" to 4" WEBBING
Weight .02 lb.
ITEM # 649460

STEEL PROTECTORS



2" WEBBING, CABLE, CHAIN
Weight 1.3 lb.
ITEM # 649329



2" – 4" WEBBING
Weight 1.7 lb.
ITEM # 649331

WEAR SLEEVE



Protects straps from cuts and abrasions.
Wear sleeves sold per foot.

ITEM #	649105	for 2" strap
ITEM #	649106	for 3" strap
ITEM #	649097	for 4" strap
ITEM #	649107	Velcro, for 3"

WHEEL CHOCKS



"A" "B"

ITEM 649610 "A" PYRAMID
- Durable rubber triangle
- Maximum traction.
- Reliable even on ice or snow.
- Will not gouge tires, even if they are run over.

ITEM 649611 "B" CONTOUR

D-RING - with weld-on mounting bracket Self Colour



ITEM #	SIZE	BREAKING STRENGTH	
649626	1/2"	12,000 lb./ 5,454 kg.	
649632	5/8"	18,390 lb./ 8,454 kg.	
649636	3/4"	26,500 lb./12,045 kg.	
649638	1" Long	46,760 lb./21,254 kg.	3 x 4"
649646	1" Short	" "	3 x 3"
649645	1" Long Bent	" "	

2" WINCH STRAP



ITEM #	LENGTH	WIRE HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649023	20′	1/2″	10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
649026	25′	1/2″	10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
649027	30′	1/2″	10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
	20′	3/8″	10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
	25′	3/8″	10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
	30′	3/8″	10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.



ITEM #	LENGTH	FLAT HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649036	25′		10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
649037	30′		10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.



ITEM #	LENGTH	DELTA RING	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649056	25′		10,000 lb./ 4,545 kg.	3,300 lbs./1,515 kg.	6,000 lb.
649057	30′		10,000 lb./ 4,545 kg.	3,300 lbs./1,515 kg.	6,000 lb.



ITEM #	LENGTH	SNAP HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649063	15′		10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
649062	20′		10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
649066	25′		10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
649061	30′		10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.



ITEM #	LENGTH	CHAIN & GRAB	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649046	25′	5/16″	10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.
649047	30′		10,000 lb./ 4,545 kg.	3,300 lb./1,515 kg.	6,000 lb.

3" WINCH STRAP



ITEM #	LENGTH	WIRE HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649100	25′	5/8″	15,000 lb./ 6,818 kg.	5,000 lb./2,272 kg.	9,000 lb.
649102	30		15,000 lb./ 6,818 kg.	5,000 lb./2,727 kg.	9,000 lb.



ITEM #	LENGTH	FLAT HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649110	25′		16,200 lb./ 6,818 kg.	5,400 lb./2,272 kg.	9,000 lb.
649112	30′		16,200 lb./ 6,818 kg.	5,400 lb./2,727 kg.	9,000 lb.



ITEM #	LENGTH	DELTA RING	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649130	30′		15,000 lb./ 6,818 kg.	5,000 lb./2,727 kg.	9,000 lb.



ITEM #	LENGTH	CHAIN & HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649120	25′	5/16″	15,000 lb./ 6,818 kg.	5,000 lb./2,272 kg.	9,000 lb.
649117	30′	5/16″	15,000 lb./ 6,818 kg.	5,000 lb./2,272 kg.	9,000 lb.
649124	40′	5/16″	15,000 lb./ 6,818 kg.	5,000 lb./2,272 kg.	9,000 lb.
649135	30′	3/8″	18,000 lb./8,181 kg.	6,000 lb./2,727 kg.	12,000 lb.
649133	30′	3/8″ Grade 40	16,400 lb./7,439 kg.	5,400 lb./2,449 kg.	

WORKING TOGETHER TO ENSURE A STRONG FUTURE

4" WINCH STRAP

ITEM #	LENGTH	WIRE HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649199	30'	5/8"	20,000 lb./9,090 kg.	6,600 lb./3,000 kg.	12,000 lb.



ITEM #	LENGTH	FLAT HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649200	25'		20,000 lb./9,090 kg.	6,600 lb./3,000 kg.	12,000 lb.
649202	30'		20,000 lb./9,090 kg.	6,600 lb./3,000 kg.	12,000 lb.



ITEM #	LENGTH	DELTA RING	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649230	40'		20,000 lb./9,090 kg.	6,600 lb./3,000 kg.	12,000 lb.
649232	30'		20,000 lb./9,090 kg.	6,600 lb./3,000 kg.	12,000 lb.



ITEM #	LENGTH	CHAIN & HOOK	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
649220	25'	3/8"	20,000 lb./9,090 kg.	6,000 lb./3,000kg.	12,000 lb.
649222	30'		20,000 lb./9,090 kg.	6,000 lb./3,000 kg.	12,000 lb.



ITEM #	LENGTH	LOOP	BREAKING STRENGTH	W.L.L.	CALIFORNIA RATING
	30'		18,000 lb./8,181 kg.	6,000 lb./2,727 kg.	12,000 lb.



ITEM #	LENGTH	GRAB HOOK	BREAKING STRENGTH	W.L.L.
649242	30'		16,200 1lb./7,363 kg.	5,400 lb./2,454 kg.



2" RATCHET ASSEMBLY WITH LONG WIDE HANDLE



COMPLETE RATCHET ASSEMBLY 2" X 27' AS SHOWN ABOVE

ITEM #	LENGTH	HOOK	BREAKING STRENGTH	W.L.L.
649075	27'	1/2" Wire Hooks	10,000 lb./4,545 kg.	3,300 lb./1,515 kg
649077	27'	Flat Hooks	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649079	27'	Chain End	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.

WIRE HOOK FLAT HOOK DELTA RING SNAP HOOK CHAIN END



COMPLETE ITEM #	STRAP ONLY ITEM #	RATCHET W/TAIL ITEM #	LENGTH	HOOK	BREAKING STRENGTH	W.L.L.
	649023	649025	20'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649820	649026	649025	25'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649028	649027	649025	30'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649070		649850	20'	3/8" Wire	5,000 lb./ 2,272 kg.	1,666 lb. / 757 kg.
649828	649787	649850	25'	3/8" Wire	5,000 lb./ 2,272 kg.	1,666 lb. / 757 kg.
649072	649789	649850	30'	3/8" Wire	5,000 lb./ 2,272 kg.	1,666 lb. / 757 kg.
	649039	649035	20'	Flat	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649821	649036	649035	25'	Flat	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649822	649037	649035	30'	Flat	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
		649055	20'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649056	649055	25'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649057	649055	30'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649062	649060	20'	Snap	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649066	649060	25'	Snap	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649825	649061	649060	30'	Snap	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649823	649046	649045	25'	Chain End	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649824	649047	649045	30'	Chain End	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.

2" RATCHET ASSEMBLY WITH SHORT WIDE HANDLE



COMPLETE ITEM #	STRAP ONLY ITEM #	RATCHET W/TAIL ITEM #	LENGTH	HOOK	BREAKING STRENGTH	W.L.L.
	649023	649795	20'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649026	649795	25'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649027	649795	30'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649759		649763	20'	3/8" Wire	5,000 lb. / 2,272 kg.	1,666 lb./1,515 kg.
649760	649787	649763	25'	3/8" Wire	5,000 lb. / 2,272 kg.	1,666 lb./1,515 kg.
649762	649789	649763	30'	3/8" Wire	5,000 lb. / 2,272 kg.	1,666 lb./1,515 kg.
	649039		20'	Flat	10,000 lb /4,545 kg.	3,300 lb./1,515 kg.
	649036		25'	Flat	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649793	649037		30'	Flat	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
			20'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649056		25'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649057		30'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649062		20'	Snap	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649066		25'	Snap	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649061		30'	Snap	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
	649046		25'	Chain End	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.
649792	649047		30'	Chain End	10,000 lb./4,545 kg.	3,300 lb./1,515 kg.



2" RATCHET ASSEMBLY SHORT NARROW HANDLE

COMPLETE ASSEMBLY ITEM #	STRAP ONLY ITEM #	RATCHET W/TAIL ITEM #	LENGTH	HOOK	BREAKING STRENGTH	W.L.L.
	649023	649018	20'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./ 4,545 kg.
	649026	649018	25'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./ 4,545 kg.
	649027	649018	30'	1/2" Wire	10,000 lb./4,545 kg.	3,300 lb./ 4,545 kg.
	649788		20'	3/8" Wire	5,000 lb. /2,272 kg.	1,600 lb./ 757 kg.
649029	649787	649788	25'	3/8" Wire	5,000 lb. /2,272 kg.	1,600 lb./ 757 kg.
649791	649789	649788	30'	3/8" Wire	5,000 lb. /2,272 kg.	1,600 lb./ 757 kg.
	649039	649040	20'	Flat	10,000 lb./4,545 kg.	3,300 lb./4,545 kg.
	649036	649040	25'	Flat	10,000 lb./4,545 kg.	3,300 lb./4,545 kg.
	649037	649040	30'	Flat	10,000 lb./4,545 kg.	3,300 lb./4,545 kg.
			20'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./4,545 kg.
	649056		25'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./4,545 kg.
	649057		30'	Delta Ring	10,000 lb./4,545 kg.	3,300 lb./4,545 kg.
	649046		25'	Chain End	10,000 lb./4,545 kg.	3,300 lb./4,545 kg.
	649047		30'	Chain End	10,000 lb./4,545 kg.	3,300 lb./4,545 kg.



3" RATCHET ASSEMBLY WITH LONG WIDE HANDLE

COMPLETE ASSEMBLY ITEM #	STRAP ONLY ITEM #	RATCHET W/TAIL ITEM #	LENGTH	HOOK	BREAKING STRENGTH	W.L.L.
	649100	649099	25'	Grab Hook	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.
			30'	Grab Hook	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.
649127	649120	649121	25'	Chain End	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.
	649122	649099	30'	1/2" Wire	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.
	649102	649099	30'	1/2" Wire	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.
	649110	649111	25'	Flat	16,200 lb./6,818 kg.	5,400 lb./2,272 kg.
649826	649112	649111	30'	Flat	16,200 lb./6,818 kg.	5,400 lb./2,272 kg.
			25'	Delta Ring	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.
	649130		30'	Delta Ring	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.
			25'	Snap Hook	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.
			30'	Snap Hook	15,000 lb./6,818 kg.	5,000 lb./2,272 kg.



4" RATCHET ASSEMBLY WITH LONG WIDE HANDLE

COMPLETE ASSEMBLY ITEM #	STRAP ONLY ITEM #	RATCHET W/TAIL ITEM #	LENGTH	HOOK	BREAKING STRENGTH	W.L.L.
	649200	649201	25'	Flat	20,000 lb./9,090 kg.	6,600 lb./3,000 kg.
649829	649202	649201	30'	Flat	20,000 lb./9,090 kg.	6,600 lb./3,000 kg.
			25'	Delta Ring	20,000 lb./9,090 kg.	6,600 lb./9,090 kg.
	649232		30'	Delta Ring	20,000 lb./9,090 kg.	6,600 lb./3,000 kg.
	649220	649221	25'	Chain End	20,000 lb./9,090 kg.	6,600 lb./9,090 kg.
649830	649222	649221	30'	Chain End	20,000 lb./9,090 kg.	6,600 lb./3,000 kg.





ADJUSTABLE WHEEL TIE-DOWNS

ITEM #	W.L.L.	TIRE SIZE	BREAK STRENGTH
649854	1,666 lb.	15 - 16”	5,000 lb.
649855	754 kg	13 - 14”	2,272 kg

This wheel harness allows you to safely haul a wide variety of vehicles.



TOWING STRAPS

ITEM	SIZE	W.L.L.
649091	2” x 20’	
649092		3” x 20’
649093	4” x 20’	
649094		4” x 30’

Single ply towing strap with twisted eye and eye.








ROUND SLING


CODE #	COLOUR	VERTICAL	CHOKER	BASKET
SL-30	Purple	3,000 lb.	2,400 lb.	6,000
SL-40	Black	4,000	3,200	8,000
SL-60	Green lbs.	6,000 lb.	4,800 lb.	12,000
SL-90	Yellow	9,000	7,200	18,000
SL-120	Tan	12,000	9,600	24,000
SL-1430	Red	14,000 lb.	11,200 lb.	28,000
SL-170	Orange	17,000	13,600	34,000
SL-230	Blue	23,000	18,400	46,000
SL-260	Orange	26,000	20,800	52,000
SL-320	Grey	32,000 lb.	25,600 lb.	64,000
SL-400	Orange	40,000	32,000	80,000
SL-540	Orange	54,000	43,200	108,000
SL-680	Orange	68,000	54,400	136,000
SL-900	Orange	90,000	72,000	180,000

Constructed from a multiple of high tenacity polyester yarns in an endles loop, covered with a woven polyester jacket.
Hook and load points can be rotated to extend the life of the sling.
Polyester cover protects the inner fibres from wear, and the load from sling damage, reducing the need for wear pads.



TYPE 1 TC | TYPE 2 TT | TYPE 3 EE | TYPE 4 EE | TYPE 5 EN

WEB SLINGS



VERTICAL | CHOKER | BASKET

SINGLE PLY

WIDTH	REFERENCE #	VERTICAL	CHOKER	BASKET
1"	EE1-901-T3	1600	1280	3200
1"	EE1-901-T4	1600	1280	3200
1"	EN1-901	3200	2560	6400
2"	TC1-902	3100	2480	6200
2"	TT1-902	3100		6200
2"	EE1-902-T3	3100	2480	6200
2"	EE1-902-T4	3100	2480	6200
2"	EN1-902	6200	4960	12,400
3"	TC1-903	4700	3760	9400
3"	TT1-903	4700		9400
3"	EE1-903-T3	4700	3760	9400
3"	EE1-903-T4	4700	3760	9400
3"	EN1-903	9400	7520	18,800
4"	TC1-904	6200	4960	11,400
4"	TT1-904	6200		11,400
4"	EE1-904-T3	6200	4960	11,400
4"	EE1-904-T4	6200	4960	11,400
4"	EN1-904	12,400	9920	24,800
5"	TC1-905	7800	6240	16,000
5"	TT1-905	7800		16,000
5"	EE1-905-T3	7800	6240	16,000
5"	EE1-905-T4	7800	6240	16,000
5"	EN1-905	15,000	12,000	30,000
6"	TC1-906	9300	7440	18,600
6"	TT1-906	9300		18,600
6"	EE1-906-T3	9300	7440	18,600
6"	EE1-906-T4	9300	7440	18,600
6"	EN1-906	18,600	14,880	37,200
8"	TC1-908	11,750	9400	23,500
8"	TT1-908	11,750		23,500
8"	EE1-908-T3	11,750	9400	23,500
8"	EE1-908-T4	11,750	9400	23,500
8"	EN1-908	21,150	16,920	42,300
10"	TC1-910	14,700	11,760	29,400
10"	TT1-910	14,700		29,400
10"	EE1-910-T3	14,700	11,760	29,400
10"	EE1-910-T4	14,700	11,760	29,400
10"	EN1-910	26,450	21,160	52,900
12"	TC1-912	17,650	14,120	35,300
12"	TT1-912	17,650		35,300
12"	EE1-912-T3	17,650	14,120	35,300
12"	EE1-912-T4	17,650	14,120	35,300
12"	EN1-912	31,750	25,400	63,500

DOUBLE PLY

REFERENCE #	VERTICAL	CHOKER	BASKET
EE2-901-T3	3100	2400	6400
EE2-901-T4	3100	2400	6400
EN2-901	6200	4960	12,400
TC2-902	6200	4960	12,400
TT2-902	6200		12,400
EE2-902-T3	6200	4960	12,400
EE2-902-T4	6200	4960	12,400
EN2-902	12,400	9920	24,800
TC2-903	8800	7040	17,600
TT2-903	8800		17,600
EE2-903-T3	8800	7040	17,600
EE2-903-T4	8800	7040	17,600
EN2-903	17,600	14,080	35,200
TC2-904	11,000	8800	22,000
TT2-904	11,000		22,000
EE2-904-T3	11,000	8800	22,000
EE2-904-T4	11,000	8800	22,000
EN2-904	22,000	17,600	44,000
TC2-905	13,700	10,300	27,400
TT2-905	13,700		27,400
EE2-905-T3	13,700	10,300	27,400
EE2-905-T4	13,700	10,300	27,400
EN2-905	27,500	22,000	55,000
TC2-906	16,500	13,200	33,000
TT2-906	16,500		33,000
EE2-906-T3	16,500	13,200	33,000
EE2-906-T4	16,500	13,200	33,000
EN2-906	33,000	26,400	66,000
TC2-908	22,750	18,200	45,500
TT2-908	22,750		45,500
EE2-908-T3	22,750	18,200	45,500
EE2-908-T4	22,750	18,200	45,500
EN2-908	42,350	33,880	84,700
TC2-910	28,400	22,720	46,800
TT2-910	28,400		46,800
EE2-910-T3	28,400	22,720	46,800
EE2-910-T4	28,400	22,720	46,800
EN2-910	52,900	42,320	105,800
TC2-912	34,100	27,280	68,200
TT2-912	34,100		68,200
EE2-912-T3	34,100	27,280	68,200
EE2-912-T4	34,100	27,280	68,200
EN2-912	63,500	50,800	127,000



BINDER LOCK (YELLOW)

ITEM #	
649635	A simple and effective way of keeping binders secure.



STANDARD LOAD BINDER

ITEM #		W.L.L./LB.
604128	Standard Load Binder 1/4 – 5/16 Gr. 70	2600
604132	Standard Load Binder 5/16 – 3/8 Gr.70	6600
604140	Standard Load Binder 3/8 – 1/2 Gr.70	9200

Lever type binder with swivel hooks.
Take up slack and apply tension to tie down system.
Drop forged steel – Heat treated



SAFETY LOAD BINDER

ITEM #		W.L.L./LB.
604160	Safety load binder 5/16 – 3/8 Gr. 70	5400

Special handle prevents finger trap
and allows easy release.
Drop forged steel – Heat treated



RATCHET LOAD BINDER

ITEM #		W.L.L./LB.
604161	Ratchet load binder 5/16 – 3/8	5400
604162	Ratchet load binder 3/8 – 1/2	9200
604163	Ratchet load binder 1/2 - 5/8	13,000

No handle locking required.
Short reach hooks provide optimum take up.
Drop forged construction.



WIRE ROPE ASSEMBLY ♦♦ WIRE ROPE AVAILABLE IN BULK ♦♦

ITEM #	WIRE SIZE		LENGTH	HOOK W.L.L.
60508	1/4"	Stainless	30' 1 Grab w/Chain end	1,050 kg.
605510	1/4"	Galvanized	30' 1 Grab w/Chain end	1,050 kg.
605511	1/4"	Galvanized	32' 1 Grab w/Chain end	1,050 kg.
605514	5/16"	Galvanized	30' 1 Grab w/Chain end	1,500 kg.
605515	1/4"	Galvanized	30' 1 Grab w/Chain end	1,050 kg.

W.L.L. STAMPED ON FURREL. OTHER CONFIGURATIONS AVAILABLE.



WIRE ROPE CLIP GALVANIZED MALLEABLE

ITEM #	CABLE DIAMETER	WEIGHT / 100
503419	3/16'	6 lb.
503420	1/4"	10 lb.
503421	5/16"	12 lb.
503422	3/8"	40 lb.

AVAILABLE IN "DROP FORGED"



WIRE ROPE THIMBLE - ZINC

ITEM #	CABLE DIAMETER	WEIGHT / 100
604319	3/16	2.5 lb.
604320	1/4	2.5 lb.
604322	5/16	4.4 lb.
604324	3/8	7.6 lb.
604326	1/2"	AVAILABLE IN OTHER SIZES.



SWAGE SLEEVES - ALUMINUM

ITEM #	CABLE DIAMETER	TYPE
604366	3/16	Oval
604364	3/16	Stop
604368	3/16	Spools
604369	1/4	Oval
604376	1/4	Stop
604370	5/16	Oval
604371	3/8	Oval

BULK CHAIN GRADE 30 – HIGH TEST – SELF COLOUR

ITEM #	CHAIN SIZE	WIRE DIAMETER	INSIDE LK. LENGTH	INSIDE LK. WIDTH	DRUM QTY.	W.L.L.
600125	3/16″	.188	.98″	.41	1600′	600 lb.
600127	1/4″	.250	1.05″	.49″	900′	1050 lb.
600008	5/16″	.312	1.19″	.49″	550′	1700 lb.
600010	3/8″	.375	1.29″	.61″	400′	2400 lb.
600013	1/2″	.492	2.05″	.88″	250′	4150 lb.



GRADE 40 & BRIGHT ZINC AVAILABLE

BULK CHAIN GRADE 70 - YELLOW DICHROMATE

ITEM #	CHAIN SIZE	WIRE LENGTH	INSIDE LK. LENGTH	INSIDE LK. WIDTH	DRUM QTY.	W.L.L.
601027	1/4″	.281	.85″	.41″	800′	3,150 lb.
601028	5/16″	.343	.92″	.47″	550′	4,700 lb.
601029	3/8″	.394	1.15″	.57″	400′	6,600 lb.
601030	1/2″	.519	1.50″	.80″	98′	11,300 lb.
601032	5/8″	.618	2.23	.808″	100	15,800 lb.



High strength, lightweight chain, designed for the trucking industry. Embossed "W7"

CHAIN ASSEMBLIES GRADE 70

ITEM #	SIZE	LENGTH	HOOKS	W.L.L
601088	5/16″	16′	2 Grab Hooks	4,700 lb.
601089	5/16″	20′	2 Grab Hooks	4,700 lb.
601090	5/16″	25′	2 Grab Hooks	4,700 lb.
601105	3/8″	16′	2 Grab Hooks	6,600 lb.
601114	3/8″	20′	2 Grab Hooks	6,600 lb.
601113	3/8″	25′	2 Grab Hooks	6,600 lb.



OTHER SIZES AND HOOKS AVAILABLE

CLEVIS GRAB HOOK GRADE 40 - CARBON STEEL

ITEM #	SIZE	WEIGHT PER 100	W.L.L.
604102	1/4″	43 lb.	2,600 lb.
604103	5/16″	73 lb.	3,900 lb.
604115	3/8″	121 lb.	5,400 lb.
604116	1/2″	220 lb.	9,200 lb.



CLEVIS GRAB HOOK GRADE 70 - ALLOY STEEL

ITEM #	SIZE	WEIGHT PER 100	W.L.L.
604101	1/4″	43 lbs.	3,150 lb.
604168	5/16	76 lbs.	4,700 lb.
604110	3/8″	121 lbs.	6,600 lb.
604114	1/2″	220 lbs.	11,300 lb.



CLEVIS SLIP HOOK GRADE 70 - ALLOY STEEL

ITEM #	SIZE	WEIGHT PER 100	W.L.L
604099	1/4″		2,750 lb.
604169	5/16″		4,300 lb.
604106	3/8″		5,250 lb.
604118	1/2″		9,200 lb.



CLEVIS SLIP HOOK WITH LATCH GRADE 70

ITEM #	SIZE	WEIGHT
604060	1/4"	.60 lb.
604062	5/16"	.81 lb.
604064	3/8"	1.32 lb.
604066	1/2"	1.5 lb.
604012	5/8	



MID LINK GRADE 70 - ZINC PLATED

ITEM #	CHAIN END	LARGE END	WEIGHT PER 100	W.L.L
604305	1/4	5/16	44 lb.	4,700
604308	5/16	3/8	87.5 lb.	6,600
604309	3/8	1/2	184 lb.	11,300



DOUBLE CLEVIS LINK GRADE 70 - ZINC PLATED

ITEM #	LINK SIZE	WEIGHT PER 100	W.L.L
604306	1/4 - 5/16	33 lb.	4,700
604310	3/8	45 lb.	6,600
604311	1/2	100 lb.	11,300



ANCHOR SHACKLE SCREW PIN

ITEM #	SIZE	PIN SIZE	WEIGHT/100	W.L.L./TONS
604164	3/16	1/4	6 lb.	1/3
604208	1/4	5/16	12 lb.	1/2
604214	5/16	3/8	20 lb.	3/4
604210	3/8	7/16	30 lb.	1
604211	7/16	1/2	50 lb.	1-1/2
604213	1/2	5/8	75 lb.	2
604216	5/8	3/4	130 lb.	3-1/4
604219	3/4	7/8	225 lb.	4-3/5
604220	7/8	1"	350 lb.	6-1/2



EYE BOLTS SHOULDER TYPE

ITEM #	SIZE	TYPE	WEIGHT	W.L.L.
606005	1/4 x 2"	Shoulder	.06	500 lb.
	1/4 x 4"	Shoulder	.09	500 lb.
606008	5/16 x 2-1/4"	Shoulder	.11	800 lb.
	5/16 x 4-1/4"	Shoulder	.15	800 lb.
606014	1/2 x 6"	Shoulder	.68	2200 lb.
606015	5/8 X 6"	Shoulder	1	3500 lb.

DO NOT EXCEED WORKING LOAD LIMIT

NEVER INSERT ONLY POINT OF HOOK. ALWAYS USE A SHACKLE.





Regular Eye Bolts Available
1/2" - 5/8" - 3/4"
8", 10" & 12" long

RATCHET BUCKLES

ITEM #	SIZE	W.L.L.	BREAKING STRENGTH
930029	2" Ratchet	1466 lb./666 kg.	4,000 lb./2000 kg.



ITEM #	SIZE	W.L.L.	BREAKING STRENGTH
930028	2" Ratchet - Short Narrow	3666 lb./1666 kg.	11,000 lb./5,000 kg.



ITEM #	SIZE	W.L.L.	BREAKING STRENGTH
649410	2" Ratchet - Short Wide Handle	3666 lb./1666 kg.	11,000 lb./5,000 kg.



ITEM #	SIZE	W.L.L.	BREAKING STRENGTH
649407	2" Ratchet - Wide Handle	3666 lb./1666 kg.	11,000 lb./5,000 kg.



ITEM #	SIZE	W.L.L.	BREAKING STRENGTH
649408	3" Ratchet - Long Wide Handle	7333 lb./3333 kg.	22,000 lb./10,000



ITEM #	SIZE	W.L.L.	BREAKING STRENGTH
930030	4" Ratchet - Long Wide Handle	8000 lb./3636 kg.	24,000 lb./11,000 kg.



ITEM #	SIZE	W.L.L..	BREAKING STRENGTH
649409	1" Ratchet - Wide Handle	1100 lb./500 kg.	3300 lb./1500 kg.



ITEM #	SIZE	W.L.L.	BREAKING STRENGTH
930031	1" Cam Buckle	500 lb./227 kg.	1500 lb./ 681 kg.
930034	2" Cam Buckle	1000 lb./454 kg.	3000 lb./1363 kg.



ITEM #	SIZE	W.L.L.	BREAKING STRENGTH
930035	2" Over-Center Buckle	1100 lb./500 kg.	3300 lb./1500 kg.





ACCESSORIES

SPRING "E" FITTINGS

ITEM #	SIZE	BREAKING STRENGTH
930041	2"	4500 lb. / 2045 kg.



ROPE TIE OFF

"F" FITTING &WIRE HOOK AVAILABLE

ITEM #	CORD TIE OFF	W.L.L.
649540	with E Spring Fitting	1170 lb.



BUTTERFLY "F" FITTING

ITEM #	SIZE	BREAKING STRENGTH
930050	1" hole	1500 lb. / 380kg.



SPRING "E" FITTING with RING

ITEM #	SIZE	BREAKING STRENGTH
649541	2"	4500 lb. / 2045 kg.



SNAP HOOK

ITEM #
930040 for 2" strap

"J" HOOK – Plastic Coated

ITEM #	SIZE	BREAKING STRENGTH
930015	1"	2500 lb. / 1100kg.



D RINGS

ITEM #	
930046	2" D Ring
930043	1" D Ring



WIRE HOOKS

ITEM #	
930022	5/8" for 3" strap
930020	1/2" for 2' strap
930018	3/8" for 2" strap
930017	1/4" for 2" strap
930016	1/4" for 1" strap



FLAT HOOKS

ITEM #	
930032	for 4" strap
930023	for 3" strap
930021	for 2" strap



DELTA RING

ITEM #	
930014	for 4" strap
930013	for 3" strap
930012	for 2" strap



CHAIN END

ITEM #	
930007	4" Chain end Grade 70
930006	3" Chain end Grade 70
930005	2" Chain end Grade 70

RECESSED FLOOR ANCHOR RING

ITEM #	DESCRIPTION	BREAKING STRENGTH
649620	Ring Kit - recessed with square base	5,000 lb.
649621	Ring Kit - recessed with back plate and bolts H.D.	





DOOR PULL STRAP

ITEM #	SIZE	DESCRIPTION
649554	18"	For overhead or side doors
649555	24"	and access to wheel carts.
649556	36"	



FLOOR CHAIN TIE DOWN

ITEM #	DESCRIPTION	W.L.L.
650613	Floor chain tie-down Welded to trailer cross member. Unit sits flush to the floor. Pull on cap to expose chain. For use on steel frame trailer, with standard hard wood floor.	5400 lb.



BEAM SOCKET

ITEM #	DESCRIPTION
649430	Zinc plated, with locking mechanism Use with 2" x 6' commercial grade lumber. W.L.L. varies depending on quality of lumber.




LOGISTIC TRACK


COMBI "E & F" TRACK – GALVANIZED – 10 ft.

ITEM #	DESCRIPTION	
649399	Material:	High strength 12-guage steel
	Minimum Yield:	43,000 psi
	Weight:	17 lbs. / 7.7kg.
	Length:	10 feet / 3m
649400	Standard Series E Track - available on request	









1" ROUND HOLE





SERIES "F" TRACK – GALVANIZED – 10 ft.

ITEM #	DESCRIPTION	
649406	Material:	High strength 14-guage steel
	Minimum Yield:	43,000 psi
	Weight:	7.6 lbs.3.4 kg.

SERIES "L" TRACK - GALVANIZED– 10 ft.

ITEM #	DESCRIPTION	
649405	Material:	High strength 12-guage steel
	Minimum Yield:	50,000 psi
	Weight:	12 lbs. / 5.4 kg.

CAUTION: Welding of galvanized track should be done only in a well ventilated area to avoid toxic fumes.



BEAM PIN



BEAM HEAD



WALCO DECKING BEAMS - ALUMINUM

ITEM #	DESCRIPTION	W.L.L. 2000 LB.
649415	Adjustment Range: 90.8" – 101.7". Decking / Vertical Weight 21 lb. 606 1T6 Head Assemblies are all steel, Zinc plated. Tapered for ease of operation.	
930551	Replacement Pin for decking beam socket.	
930550	Beam Head	

ALUMINUM / ALL STEEL / ALL STEEL EXTRA LONG



RACK ASSEMBLY



CARGO STAY FOOT



CARGO STAYS - HEAT TREATED ALUMINUM

ITEM #	DESCRIPTION
649427	1-1/2" dia. Adjusts from 89.75 to 104.5" Moulded rubber feet for firm grip.
649424	Rack, lever and housing assembly
649422	Large foot - each
649421	Small Foot – each

1" ROUND SERIES "E"



SHORING BAR - GALVANIZED

ITEM #	DESCRIPTION SUPPORTS 500 LB.
649436	Spring-load designed for quick installation. H.D. Adjusts from 93" to 108". Weight 21 lb.

WARNING Do not use shoring bar in decking applications.

1" SQUARE "F" SERIES




SHORING BAR - GALVANIZED

ITEM #	DESCRIPTION SUPPORTS 1000LB.
649420	Easy installation Adjusts from 89" to 104". Weight 27 lb.

WARNING Do not use shoring bar in decking applications.








JACK BARS Heavy-duty universal square bar.

ITEM #	DESCRIPTION
649419	Adjusts 86" - 104" Bolt-on non-slip feet.

Ideal for shoring, and most other interior van applications.



CARGO HOOP SET

ITEM #	DESCRIPTION WEIGHT (SINGLE) 10 LB.
649426	Hoop dimensions 26.75 x 28.25 For use on aluminum and steel cargo bars, To hold a larger surface area. For interior shoring applications.

CARGO NETS

ITEM #	DESCRIPTION	W.L.L.
	1-inch webbing	500 lb. / 227 kg.
	2-inch webbing	1000 lb. / 454 kg.

Custom made to your specifications. Attach to van walls by adjustable buckles and "E" fittings, or snaps or wire hooks.



2" LOGISTIC STRAPS

with Ratchet Buckle for light to medium loads.
All logistic straps have a 4' fixed end.

ITEM #	STRAP LENGTH	END HARDWARE	W.L.L.	BREAKING STRENGTH
649500	12'	"E" Fitting	1500 lb.	4500 lb.
649501	16'	"E" Fitting	1500 lb.	4500 lb.
649502	20'	"E" Fitting	1500 lb.	4500 lb.
649750	12'	Wire Hook	500 lb.	1500 lb.
649752	16'	Wire Hook	500 lb.	1500 lb.
649754	20'	Wire Hook	500 lb.	1500 lb.
649546	12'	"F" Butterfly	420 lb.	1250 lb.
649544	16'	"F" Butterfly	420 lb.	1250 lb.
649545	20'	"F" Butterfly	420 lb.	1250 lb.

2" LOGISTIC STRAPS

WITH CAM BUCKLE

ITEM #	STRAP LENGTH	END HARDWARE	W.L.L.	BREAKING STRENGTH
649510	12'	"E" Fitting	835 lb.	2500 lb.
649511	16'	"E" Fitting	835 lb.	2500 lb.
649512	20'	"E" Fitting	835 lb.	2500 lb.
649566	12'	Wire Hook	500 lb.	1500 lb.
649568	16'	Wire Hook	500 lb.	1500 lb.
649570	20'	Wire Hook	500 lb.	1500 lb.
649560	12'	"F" Butterfly	420 lb.	1250 lb.
649562	16'	"F" Butterfly	420 lb.	1250 lb.
649564	20'	"F" Butterfly	420 lb.	1250 lb.

2" LOGISTIC STRAPS

WITH OVER-CENTER BUCKLE

ITEM #	STRAP LENGTH	END HARDWARE	W.L.L.	BREAKING STRENGTH
649520	12'	"E" Fitting	1500 lb.	4500 lb.
649521	16'	"E" Fitting	1500 lb.	4500 lb.
649522	20'	"E" Fitting	1500 lb.	4500 lb.
649770	12'	Narrow	500 lb.	1500 lb.
649771	16'	Wire	500 lb.	1500 lb.
649772	20'	Hook	500 lb.	1500 lb.

1" UTILITY RATCHET STRAPS "PACKAGED"

ITEM #	STRAP LENGTH	END HARDWARE	W.L.L.	BREAKING STRENGTH
649012	12'	Wire Hook	1000 lb.	3000 lb.
649016	16'	Wire Hook	1000 lb.	3000 lb.

1" UTILITY RATCHET STRAPS

ITEM #	STRAP LENGTH	END HARDWARE	W.L.L.	BREAKING STRENGTH
649780	16'	Wire hk & D-ring	1000 lb.	3000 lb.
649781	20'	Wire hk & D-ring	1000 lb.	3000 lb.

1" UTILITY RATCHET STRAPS

ITEM #	STRAP LENGTH	END HARDWARE	W.L.L.	BREAKING STRENGTH
	16'	Snap Hook	1000 lb.	3000 lb.
	20'	Snap Hook	1000 lb.	3000 lb.

UTILITY TIE DOWNS ARE USED FOR MOST LIGHT DUTY RESTRAINT APPLICATIONS,
pickup trucks, utility trailers, car top racks, boats, motorcycles and TV trailers.




650042


650041


650021


650022


650020


650024


650025


650001


650002


650003


650004


650040


650023


650000


650005



ONE FREE DISPLAY STAND WITH THE ORDER OF ONE OR MORE **START-UP KITS**

SEE NEXT PAGE FOR KIT QUANTITIES


650054


650051


650053

Display Packaged
CARGO CONTROL STRAPS
NYLON WEBBING

START-UP KIT QUANTITIES

ITEM #	PACKAGE	SIZE	DESCRIPTION	WLL	
650000	4 Pack Combo	2 – 1"x10' 2 – 1"x6'	Ratchet Cam	400# 200#	3 pkgs.
650001	4 Pack	4 – 1"x15'	Ratchet	400#	4 pkgs.
650002	4 Pack	4 – 1"x6'	Cam	200 #	3 pkgs.
650003	4 Pack	4 – 1"x10'	Ratchet	300 #	2 pkgs.
650004	4 Pack	4 – 1"x15'	Ratchet with Rubber Handle	700 #	4 pkgs.
650005	4 Pack Combo	2 - 1"x6' 2 - 1"x10'	Cam - Camouflage Cam – Camouflage	200 # 200 #	3 pkgs.
650020	2 Pack	2 – 1"x15'	Ratchet	400#	5 pkgs.
650021	2 Pack	2 – 1"x6'	Cam	200#	3 pkgs.
650022	2 Pack	2 – 1"x10'	Ratchet	300#	2 pkgs.
650023	2 Pack	2 – 1.5"x15'	Ratchet with Rubber Handle	1000 #	6 pkgs.
650024	2 Pack	2 – 1"x15'	Ratchet with Rubber Handle	700 #	3 pkgs.
650025	2 Pack	2 – 1"x15'	Ratchet with Rubber Handle - Camouflage	400 #	3 pkgs.
650040	Single Pack	1 - 1.5"x15'	Ratchet with Rubber Handle	700 #	6 pkgs.
650041	Single Pack	1 – 1"x15'	Ratchet	400 #	4 pkgs.
650042	Single Pack	1 – 1"x10'	Cam	200#	4 pkgs.
650051	Single Bag	1 – 2"x 15'	Tow Strap		2 pkgs.
650053	10 Pack - 2 each	13", 18", 24", 30" 36"	Bungee Assortment		6 pkgs.
650054	6 Pack - 2 each	9", 15", 21"	Rubber Tie Down Assortment		8 pkgs.

930100 **- Display Stand**
650027 **– Starter Kit** as listed above

SINGLE



DUAL



TRIPLE



TRUCK TIRE CHAIN (ALSO AVAILABLE WITH STUDDED CROSS CHAIN)

ITEM # 9/32"	ITEM # 5/16"	ITEM # 3/8" 9.5		TIRE SIZE	
507950	508328	508342		10.00-20	11.22.5
		508341		10-R-20	11-R-22.5
507951	508350	508357		10.00-22	11-24.5
		508354		1-R-22	11-R-24.5
	508360	508368		11.00-20	12-22.5
				11-R-20	12-R-22.5
	508382	508370		12.00-20	12-R-20
	508403			12-24.5	11-R-22
				11.00-22	12-R-24.5

	ITEM # 5/16"	ITEM # 3/8" 9.5		TIRE SIZE	
	508329	508330		10.00-20	11-22.5
				10-R-20	11-R-22.5
	508361	508400		10.00-22	11-24.5
				10-R-22	11-R-24.5
	508380	508369		11.00-20	12-22.5
	508424			11-R-20	12-R-22.5
				12.00-20	12-R-20


	ITEM # 3/8" 9.5				TIRE SIZE	
		10.00-20	11-22.5	10-R-20	11-R-22.5	
	508358	10.00-22	11-24.5			
	508355	10-R-22	11-R-24.5			
	508367	11.00-20	12-22.5	11-R-20	12-R-22.5	
12.00-20	12-R-20	11.00-22	12-R-24.5	11-R-22	12-R-24.5	

Available for most tire sizes.



ATV V-BAR TIRE CHAIN 7/32"/5.5mm

ITEM #		TIRE SIZE	
525006	ht 20 Rim 9 hs 21	21x11x8	41x17
525001	(14 cross chains)	22x11x8	22x12x8
525003	(14 cross chains)	25x8x12	48 x 15
525004	(14 cross chains)	25x10x12	44x17
525015		25x12x9	
525005	(14 cross chains)	24x11x10	51x21
525020	ht 25 Rim 10 hs 22	25x13x9x	48x19.25
520241	(14 cross chains)	23x10.5x12	56x14.5
525010			24x9x11



THREE TIRE DIMENSIONS ARE NEEDED TO ORDER THESE TIRES

FORK LIFT TIRE CHAIN

TIRE SIZE		CHAIN SIZE
508050	6.50 x 10	7/32"
508074	7.50 x 10	7/32"
508073	900 x 10	7/32"
508004	700 x 12	7/32"
508005	700 x 15	7/32"
508002	750 x 15 x 30	7/32"
508002	750 x 15 x 32	7/32"
508015	7.50 x15 x 30	5/16"
508077	250 x 15	7/32"
508068	28 x 12.5 x 15	5/16"
508008	825 x 15	5/16"
508048	750 x 16	5/16"
508047	32 x 12.1 x 15	5/16"
508068	28 x 12.50 x 15	5/16"
508059	28 x 9 x 15	5/16"
508044	31 x 10.50 x 15	5/16"
508090	27 x 10.50 x 15	5/16"

CROSS CHAIN HOOK



ITEM #	CHAIN SIZE
505055	7/32"
505063	1/4"
505080	5/16"
505100	3/8"
505110	7/16"

QUICK LINK - ZINC



ITEM #	SIZE	W.L.L.
503406	1/4"	880 lb.
503408	5/16"	1,540 lb.
503410	3/8"	1,980 lb.
503411	1/2"	3,300 lb.

REPAIR LINK



ITEM #	CHAIN SIZE
503706	1/4"
503708	5/16"
503710	3/8"
503713	1/2"

SIDE CHAIN



ITEM #	SIZE	SIDE CHAIN
501053	1/4"	
501050	7/32"	
501086	5/16"	
501101	3/8"	
501125	7/16"	

CROSS CHAIN



ITEM #	SIZE	CROSS CHAIN
500055	7/32"	
500060	1/4"	Hardened
500081	5/16"	Hardened
500096	3/8" /9.5mm	Hardened
500110	7/16"	Hardened

STUDDED CROSS



ITEM #	SIZE	CROSS CHAIN
500208	5/16"	Studded
500210	3/8"	Studded
500211	7/16"	Studded

CHAIN LOCKS



ITEM #	CHAIN SIZE	
503009	1/4"	# 555
503015	5/16"	# 889
503014	3/8"	#1011

ITEM #	CHAIN SIZE	
503016	5/16"	# 675
503018	3/8"	# 714

FOR MORE TIRE CHAINS SEE PRICE LIST